



Uttaradit Hospital Medical Journal

วารสารใหม่ประจำเดือน  
มีนาคม....2561....

Vol. 30 No.3 September - December 2015

# UTTARADIT HOSPITAL MEDICAL JOURNAL

อุตรดิตถ์เวชสาร ปีที่ ๓๐ ฉบับที่ ๓ กันยายน-ธันวาคม ๒๕๕๘

## Vol. 30 No. 3 September - December 2015

**S**afe and Appropriate Depth of Needle Insertion During Rhomboid Major Trigger Point Release or Acupuncture

**T**he Effective of Leaflet and DVD Media Service for Reducing Painful of Rheumatoid Arthritis Patients

**T**he outcomes of modification to guideline for prevent surgical site infection of Laminectomy with Instruments Fixation in Neurosurgery Ward at Uttaradit Hospital

**T**he Outcomes of Unexpected Event Reporting Program in the Ear-nose-throat Department

## Case Report

**K**ey Success Factors for Controlling Zika Virus Disease In Moo 2, Bo Thong Subdistrict, Thongsaenkhan District, Uttaradit Province

**R**ight Congenital Diaphragmatic Hernia in Acute Abdomen

อุตรดิตถ์เวชสาร = Uttaradit ho  
SERIALS



006082  
bib:13399108118

ISSN 2286-7716

# In This Issue

**Vol.30 No.3 September - December 2015**

## *Original Articles*

- 
- Safe and Appropriate Depth of Needle Insertion During Rhomboid Major Trigger Point Release or Acupuncture** 1  
Triluk Vorawanthanachai
- The Effective of Leaflet and DVD Media Service for Reducing Painful of Rheumatoid Arthritis Patients** 8  
Kamolpan Chareonying, Wannaporn Sangpanich, Phatcharee Phengsupun,
- The outcomes of modification to guideline for prevent surgical site infection of Laminectomy with Instruments Fixation in Neurosurgery Ward at Uttaradit Hospital.** 20  
Tharathip Lopanich, Kamolwan Onkham, Watcharee Chuichai
- The Outcomes of Unexpected Event Reporting Program in the Ear-nose-throat Department** 33  
Pramchai Lekman

## *Case Report*

- 
- Key Success Factors for Controlling Zika Virus Disease In Moo 2, Bo Thong Subdistrict, Thongsaenkan District, Uttaradit Province** 44  
Benjawut Khrutmuang
- Right Congenital Diaphragmatic Hernia in Acute Abdomen** 57  
Sompong Sakchinabut