



## EDITORIAL

Words Matter

## RESEARCH

Attendance at Mental Health  
Appointments by Women Who Were  
Referred During Pregnancy or the  
Postpartum Period

Gestational and Postnatal Cortisol  
Profiles of Women With Posttraumatic  
Stress Disorder and the Dissociative  
Subtype

Sociodemographic and Obstetric  
Factors Related to Symptoms of  
Postpartum Depression in Hispanic  
Women in Rural California

Population-Based Risk Factors for  
Shoulder Dystocia

Parents' Use of Nonpharmacologic  
Methods to Manage Procedural Pain in  
Infants

Cervical Cancer Screening Experiences  
Among Chinese American Immigrant  
Women in the United States

## SPECIAL REPORT

Current Resources for Evidence-Based  
Practice, January 2018

## AWHONN POSITION STATEMENT

Continuous Labor Support for Every  
Woman

## IN FOCUS

History and Purpose of Postpartum  
Support International

Universal Postpartum Mental Health  
Screening for Parents of Newborns With  
Prenatally Diagnosed Birth Defects

## IN FOCUS CNE

A Secondary Analysis of Mistreatment of  
Women During Childbirth in Health Care  
Facilities

## IN FOCUS

Anxiety Screening During Assessment of  
Emotional Distress in Mothers of  
Hospitalized Newborns

A Nurse-Based Model of Psychosocial  
Support for Emotionally Distressed  
Mothers of Infants in the NICU

11,150 bath

Journal of obstetric gy  
SERIALS



006247  
bib:13399108124

## EDITORIAL

### 1 Words Matter

Thoughtful word choice in writing for publication is essential to upholding ethical values in the care of women, infants, and childbearing families.

*Nancy K. Lowe*

## RESEARCH

### 3 Attendance at Mental Health Appointments by Women Who Were Referred During Pregnancy or the Postpartum Period

Only half of the women referred for mental health care during pregnancy or the postpartum period attended intake appointments; the use of in-home services may increase uptake.

*Avril S. Albaugh, Susan Hatters Friedman, Sarah Nagle Yang, and Miriam Rosenthal*

### 12 Gestational and Postnatal Cortisol Profiles of Women With Posttraumatic Stress Disorder and the Dissociative Subtype

Women with the complex form of posttraumatic stress disorder associated with childhood maltreatment history had very high levels of cortisol in early gestation and the postpartum period.

*Julia S. Seng, Yang Li, James J. Yang, Anthony P. King, Lisa M. Kane Low, Mickey Sperlich, Heather Rowe, Hyunhwa Lee, Maria Muzik, Julian D. Ford, and Israel Liberzon*

### 23 Sociodemographic and Obstetric Factors Related to Symptoms of Postpartum Depression in Hispanic Women in Rural California

Low education, unemployment, cesarean birth, and more than one young child were significantly related to risk of postpartum depression symptoms in Hispanic women living in rural communities in California.

*Younglee Kim and Vivien Dee*

### 32 Population-Based Risk Factors for Shoulder Dystocia

Considering epidural use and insulin-treated gestational diabetes when assessing shoulder dystocia risk may help improve detection of women at risk for this complication.

*Palmira Santos, Jennifer Gaudet Hefele, Grant Ritter, Jennifer Darden, Cassandra Firneno, and Ann Hendrich*

### 43 Parents' Use of Nonpharmacologic Methods to Manage Procedural Pain in Infants

Most parents reported using physical methods, whereas music and breastfeeding were less commonly used strategies to manage procedural pain in infants.

*Tarja Pölkki, Anne Korhonen, and Helena Laukkala*

### 52 Cervical Cancer Screening Experiences Among Chinese American Immigrant Women in the United States

Women's health care providers should be aware of cultural differences and provide more educational information and comfort to Chinese immigrant women who seek cervical cancer screening.

*Jin Young Seo, Junxin Li, and Kun Li*

## SPECIAL REPORT

### 64 Current Resources for Evidence-Based Practice, January 2018

A review of new resources to support the provision of evidence-based care for women and infants.

*Kate Woeber and Nicole S. Carlson*

## AWHONN POSITION STATEMENT

### 73 Continuous Labor Support for Every Woman

## IN FOCUS

### 75 History and Purpose of Postpartum Support International

Postpartum Support International provides resources for families and health care providers, including advanced practice nurses, who care for women with perinatal mood and anxiety disorders.

*Wendy Newhouse Davis, Christena Raines, Pec Indman, Birdie Gunyon Meyer, and Ann Smith*

*Continued*

#### On Our Cover:

*The Nurses Window (detail), Church of St Bartholomew the Less, London. Created by Bill Forbes. Location: E&E Image Library, Great Britain. Photo credit: HIP/Art Resource, NY.*

**84 Universal Postpartum Mental Health Screening for Parents of Newborns With Prenatally Diagnosed Birth Defects**

Nurse leaders partnered with a psychologist to implement universal mental health screening and referral protocols for parents of high-risk neonates on a specialized maternity unit.

*Joanna C. M. Cole, Michelle Olkkola, Haley E. Zarrin, Kelsey Berger, and Julie S. Moldenhauer*

**IN FOCUS CNE**

**94 A Secondary Analysis of Mistreatment of Women During Childbirth in Health Care Facilities**

**CNE** A secondary qualitative data analysis of a primary study on traumatic childbirth in high-income countries confirmed findings of mistreatment in health care facilities reported by women in low- and middle-income countries.

*Cheryl Tatano Beck*

**IN FOCUS**

**105 Anxiety Screening During Assessment of Emotional Distress in Mothers of Hospitalized Newborns**

Anxiety screening in mothers of newborns in the NICU is used to identify distressed mothers who would otherwise have been missed in routine depression-only screening.

*Jennifer E. McCabe-Beane, Sara M. Stasik-O'Brien, and Lisa S. Segre*

**114 A Nurse-Based Model of Psychosocial Support for Emotionally Distressed Mothers of Infants in the NICU**

Listening Visits could be implemented into routine clinical care in the NICU environment to help mothers with emotional distress.

*Rebecca Chuffo Davila and Lisa S. Segre*

**ARTICLES ONLINE**

Access these and all articles at <http://jognn.org>.

**IN FOCUS CNE POST TEST**

**e1 A Secondary Analysis of Mistreatment of Women During Childbirth in Health Care Facilities**

*Cheryl Tatano Beck*

**ERRATUM**

**e3 Erratum**