

Journal of
Obstetric,
Gynecologic, &
Neonatal Nursing


JOGNN

วารสารใหม่ประจำเดือน

กุมภาพันธ์ 2563....

September 2019
Volume 48 • Number 5

*Scholarship for the Care of Women,
Childbearing Families, & Newborns*



EDITORIAL

The Push to Move Health Care Science
Beyond $p < .05$

HEALTH CARE IMPROVEMENT AND EVALUATION

Evaluation of a Nurse-Led Program for Rural
Pregnant Women With Opioid Use Disorder
to Improve Maternal-Neonatal Outcomes

PRINCIPLES & PRACTICE

National Analysis of Risk Assessment
Content in Prenatal Records Across Canada

METHODS

Feasibility of AWHONN's Immediate and
Continuous Skin-to-Skin Nursing Care
Quality Measures

Validity and Reliability of the Spanish
Version of the Pregnancy-Related
Thoughts Scale

RESEARCH

Cost-Effectiveness of Continuous Support
From a Layperson During a Woman's First
Two Births

Relationship Between Depression and/or
Anxiety and Hospital Readmission Among
Women After Childbirth

CRITICAL COMMENTARY

Call to Action to Reduce Tobacco Use
During Pregnancy

SPECIAL REPORT

Current Resources for Evidence-Based
Practice, September 2019

AWHONN POSITION STATEMENT

Optimizing Outcomes for Women With
Substance Use Disorders in Pregnancy
and the Postpartum Period


Journal of obstetric gy
SERIALS



006635
bib:13399108124

JOGNN

11,380.00 บาท



AWHONN
PROMOTING THE HEALTH OF
WOMEN AND NEWBORNS

1969-2019 50 YEARS

EDITORIAL

493 The Push to Move Health Care Science Beyond $p < .05$

A more nuanced interpretation than application of the traditional $p < .05$ criterion is needed to establish clinical meaningfulness and importance of research findings.

Nancy K. Lowe

HEALTH CARE IMPROVEMENT AND EVALUATION

495 Evaluation of a Nurse-Led Program for Rural Pregnant Women With Opioid Use Disorder to Improve Maternal-Neonatal Outcomes

Use of a nurse-led, community-based program for rural women with perinatal opioid use disorder improved outcomes for women and infants.

Mary T. Paterno, Linda Jablonski, Avery Klepacki, and Peter D. Friedmann

PRINCIPLES & PRACTICE

507 National Analysis of Risk Assessment Content in Prenatal Records Across Canada

The risk assessment content of provincial prenatal record forms varies considerably; therefore, national guidelines for prenatal risk assessment may help promote consistency in care across Canada.

Natalie V. Scime, Rose M. Swansburg, Seija K. Kromm, Amy Metcalfe, Debbie Leitch, and Katie H. Chaput

METHODS

516 Feasibility of AWHONN's Immediate and Continuous Skin-to-Skin Nursing Care Quality Measures

Nursing Care Quality Measure 3 (Skin-to-Skin Is Initiated Immediately Following Birth) and Measure 4 (Duration of Uninterrupted Skin-to-Skin Contact) passed feasibility testing.

Debra Bingham, Mary Ellen Boisvert, Ann Webb, and Janet Muri

526 Validity and Reliability of the Spanish Version of the Pregnancy-Related Thoughts Scale

The Spanish version of the Pregnancy-Related Thoughts Scale has adequate evidence of reliability and validity and is suitable to evaluate pregnancy-related anxiety.

José Oliva-Pérez, Julio Cabrero-García, María José Cabañero-Martínez, Miguel Richart-Martínez, and Antonio Oliver-Roig

RESEARCH

538 Cost-Effectiveness of Continuous Support From a Layperson During a Woman's First Two Births

Continuous support by a layperson during a woman's first birth may lead to improved outcomes and decreased costs during her first and second births.

Karen S. Greiner, Alyssa R. Hersh, Sally R. Hersh, Alexandra C. Gallagher, Aaron B. Caughey, and Ellen L. Tilden

552 Relationship Between Depression and/or Anxiety and Hospital Readmission Among Women After Childbirth

The presence of a psychiatric diagnosis may increase the odds of hospital readmission among women admitted for childbirth.

Aparna Kumar, Aditi Rao, Kathleen O'Rourke, and Nancy Hanrahan

CRITICAL COMMENTARY

563 Call to Action to Reduce Tobacco Use During Pregnancy

There is a need to reinvigorate efforts to decrease tobacco use through developing and testing innovative interventions to treat tobacco dependence and advocate for evidence-based tobacco control policies.

Amanda Fallin-Bennett, Traci Scott, Keisa Fallin-Bennett, and Kristin Ashford

Continued

On Our Cover:

Franz Marc. Playing Forms—Spielende Formen, 1914. Location: Folkwang Museum, Essen, Germany. Photo credit: Erich Lessing/Art Resource, NY.

SPECIAL REPORT

568 Current Resources for Evidence-Based Practice, September 2019

A review of new resources to support the provision of evidence-based care for women and infants.

Marit L. Bovbjerg and Sabrina Pillai

A WHONN POSITION STATEMENT

583 Optimizing Outcomes for Women With Substance Use Disorders in Pregnancy and the Postpartum Period

ARTICLES ONLINE

Access all articles at <http://jognn.org>.



Call for Manuscripts: Infectious Disease

According to the World Health Organization, infectious diseases are caused by pathogenic microorganisms (bacteria, viruses, parasites, or fungi) that are spread directly or indirectly from one person to another or from animals to humans. The *JOGNN* Editor and Editorial Advisory Board are seeking manuscripts on relevant aspects of infectious diseases (epidemiology, pathogenesis, manifestations, treatment, nursing care, and prevention) specifically related to women's health, health during pregnancy and the postpartum period, or health of fetuses and neonates. Manuscripts should be prepared from a nursing perspective, including an advanced practice perspective. Any type of manuscript as specified in *JOGNN's* author guidelines is welcomed. All submissions will undergo standard peer review.

Submission due date: on or before November 1, 2019

To submit:

- Visit [Editorial Manager \(EM\)](#) for author guidelines and extensive author resources
- All manuscripts are submitted through EM
- Contact jognn@awhonn.org with questions

Visit *JOGNN* online: <http://www.jognn.org>