

## *Scholarship for the Care of Women, Childbearing Families, & Newborns*

### EDITORIAL

Uptake of Vaccination in 2019

### REPRINT

The Salzburg Statement on Vaccination  
Acceptance

### REVIEWS

Systematic Review of Expected Weight  
Changes After Birth for Full-Term,  
Breastfed Newborns

Qualitative, Interpretive Metasynthesis of  
Women's Experiences of Intimate Partner  
Violence During Pregnancy

### RESEARCH

Effects of Women's Weight Changes  
on Adverse Outcomes in a Second  
Pregnancy

Mediating Role of Labor on the  
Relationship Between Prenatal  
Psychopathologic Symptoms and  
Symptoms of Postpartum Depression in  
Women Who Give Birth Vaginally

Stress and Anxiety in Couples Who  
Conceive via In Vitro Fertilization  
Compared With Those Who Conceive  
Spontaneously

Qualitative Study on the Experience of  
Lotus Birth

### HEALTH CARE IMPROVEMENT AND EVALUATION

Evaluation of an Innovative, Hospital-  
Based Volunteer Doula Program

### PRINCIPLES & PRACTICE

Use of Dolutegravir for Antiretroviral  
Therapy for Women of Childbearing Age

### CASE REPORT

Case Report of Nursing Care for a  
Pregnant Woman With Cystic Fibrosis

### METHODS

Engagement of Urban, Pregnant Puerto  
Rican Women in Health Disparities  
Research

### SPECIAL REPORT

Current Resources for Evidence-Based  
Practice, November 2019


Journal of obstetric gy  
SERIALS



006636  
bib:13399108124

JOGNN

11,380.00 บาท



**AWHONN**  
PROMOTING THE HEALTH OF  
WOMEN AND NEWBORNS

1969-2019 50 YEARS

## EDITORIAL

### 587 Uptake of Vaccination in 2019

The health benefits of vaccination are considerable, as illustrated by uptake of the measles-mumps-rubella and human papilloma virus vaccines.

*Nancy K. Lowe*

## REPRINT

### 591 The Salzburg Statement on Vaccination Acceptance

The intent of this statement is to improve childhood vaccine coverage through expanded public dialogue.

## REVIEWS

### 593 Systematic Review of Expected Weight Changes After Birth for Full-Term, Breastfed Newborns

Average weight loss is commonly 7% to 8% of birth weight or greater by the third day after birth among healthy, full-term, breastfed newborns.

*Diane DiTomasso and Mary Cloud*

### 604 Qualitative, Interpretive Metasynthesis of Women's Experiences of Intimate Partner Violence During Pregnancy

The results of this metasynthesis capture the unique challenges faced by women in abusive relationships during pregnancy.

*Sarah R. Robinson, December Maxwell, and Jessica R. Williams*

## RESEARCH

### 615 Effects of Women's Weight Changes on Adverse Outcomes in a Second Pregnancy

Women's weight in each perinatal period across two pregnancies contributed to risk for adverse second pregnancy outcomes, with stronger effects in normal-weight and overweight women.

*Marianne Weiss, Olga Yakusheva, and Kandice Kapinos*

### 627 Mediating Role of Labor on the Relationship Between Prenatal Psychopathologic Symptoms and Symptoms of Postpartum Depression in Women Who Give Birth Vaginally

Prenatal symptoms of depression and anxiety significantly influenced childbirth and symptoms of postpartum depression; clinical aspects of labor mediated this relationship.

*Lucia Ponti and Martina Smorti*

### 635 Stress and Anxiety in Couples Who Conceive via In Vitro Fertilization Compared With Those Who Conceive Spontaneously

Women had more state and pregnancy-related anxiety, which lessened across trimesters, than men; men's pregnancy-related anxiety increased.

*Eleanor L. Stevenson, Morine Ceibert, and Susan Silva*

### 645 Qualitative Study on the Experience of Lotus Birth

Lotus birth was perceived positively by the participants as a type of natural and healthy birth with many benefits.

*İlknur Münevver Gönenç, Menekşe Nazlı Aker, and Emel Ay*

## HEALTH CARE IMPROVEMENT AND EVALUATION

### 654 Evaluation of an Innovative, Hospital-Based Volunteer Doula Program

This hospital-based volunteer doula program evaluation demonstrates successful program development and growth, high patient satisfaction, and acceptance by nurses.

*Rhonda K. Lanning and Stacey L. Klamon*

## PRINCIPLES & PRACTICE

### 664 Use of Dolutegravir for Antiretroviral Therapy for Women of Childbearing Age

Nurses must understand pregnancy planning and optimal treatment to assess, manage, and evaluate antiretroviral therapy in women of childbearing age who have or are at risk for HIV.

*Kathryn Atkin, Meredith Scannell, and Patrice K. Nicholas*

*Continued*

#### On Our Cover:

*Egon Schiele. Nursing Mother (Stephanie Gruenwald) 1917. Location: Private collection. Photo credit: Erich Lessing/Art Resource, NY.*

**CASE REPORT**

**674 Case Report of Nursing Care for a Pregnant Woman With Cystic Fibrosis**

As more women with cystic fibrosis become pregnant, knowledge of the treatments and technology associated with cystic fibrosis is necessary to provide comprehensive maternity care.

*Debra L. Stayer, Elisabeth D. Culver, Heather M. Brosius, and Jason A. Stamm*

**METHODS**

**683 Engagement of Urban, Pregnant Puerto Rican Women in Health Disparities Research**

Recruitment strategies highlighted in this article can be considered and tested in future research with Puerto Rican women and women from other minority subgroups.

*Linda Maldonado and Helene Moriarty*

**SPECIAL REPORT**

**693 Current Resources for Evidence-Based Practice, November 2019**

A review of new resources to support the provision of evidence-based care for women and infants.

*Marit L. Bovbjerg*

**ARTICLES ONLINE**

Access all articles at <http://jognn.org>.